



V.1.0 GB
REV 06-07.2017.

High Performance Additives

MPEX[®]

DIESEL DETOX PRO

Technical Datasheet





V.1.0 GB
REV 06-07.2017.

High Performance Additives

TDS

Colour/Type	Light brown, amber / Diesel Detox Pro
Areas of usage:	For all diesel engines (incl. common rail) with or without turbochargers running on low or normal sulphur level diesel fuel.
Environment:	Please check local requirements and MSDS
Packaging:	300ml Container
PPE:	Avoid skin contact. Refer to MSDS
Storage:	N/A
Surface prep:	None
Equipment needed:	None
Tests:	ISO9001. (For further information contact Leading Solvent Supplies Ltd)
Applying/Drying	Pour the contents of one bottle in the fuel tank before filling it with diesel
Origin/Manufacture:	Leading Solvent Supplies Ltd





V.1.0 GB
REV 06-07.2017.

High Performance Additives


Useful Information

How to optimise the use of MPEX® Diesel Detox Pro

Applications:

MPEX® Diesel Detox Pro is a complete diesel rejuvenator which addressing all common deposit problems. MPEX® Diesel Detox Pro is a true multipurpose product that cleans the complete fuel system including the injectors, valves and combustion chamber from deposits, increases cetane number and contains a lubricity additive to lubricate the diesel fuel pump in case of low sulphur fuel. This results in restoration of engine performance and fuel economy. In addition to cleaning the entire fuel system, MPEX® Diesel Detox Pro contains an organo-metallic supplement which functions as a catalyst for the regeneration of diesel particulate filters (DPF). MPEX® Diesel Detox Pro Extends the lifetime of the expensive diesel particulate filters and regains performance loss caused by a dirty and inefficient fuel system. It significantly lowers the ignition temperature of soot collected in the Diesel Particle Filter additionally reducing emission of hazardous exhaust gases with no secondary emissions.

MPEX® Diesel Detox Can be used for all diesel engines with standard or retrofitted diesel particulate filters.






V.1.0 GB
REV 06-07.2017.

High Performance Additives

Useful Information



The graph on the left illustrates the regeneration behaviour without Diesel Detox Pro, the graph on the right illustrates with Diesel Detox Pro

Method of use:

Pour the contents of one bottle in the fuel tank before filling it with diesel fuel. After adding Diesel Detox Pro, drive for at least 20/30 minutes preferably with elevated RPM (>3.000). Try to repeat similar cycles a few times while driving on the treated diesel to achieve the maximum result.

Dosage:

One bottle treats 40 to 60 litres of diesel fuel. Do not overdose!

IMPORTANT

MPEX® Are manufactured by Leading Solvent Supplies Ltd. MPEX® products information are based on laboratory tests and practical experience. Since the conditions under which the product is used are often outside the control of Leading Solvent Supplies Ltd, we can only guarantee the product quality, since the result is dependent on the substrate, pre-treatment, temperature, air humidity, application etc. Leading Solvent Supplies Ltd reserves the right, without notice to change the product and the given data.

www.mpexdirect.com

Marston Business Park | Rudgate | Tockwith | YO26 7QF | United Kingdom
t. 01423 358000 | e. sales@mpexdirect.com | w. [mpexdirect.com](http://www.mpexdirect.com)

